264 41 311 20000111

4 37mm

## <page-header><image><image><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header>

٢

<page-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header>

1 House, Constant

٢

1

 C 11 200 monove whe hash before TV or the second sec [Jaundich, You may need to some taxing Munosymon 30. 2.5 Taking other medicines from reed to also another being on the Pill. Javays tell your doctor, pharmacist or demits that you're taking word doctor, pharmacist and the some some some some langthist that come with all your endicines to see if they can be taken with hormonal contraceptives. Some medicines can be see if from working properly – for cample: medicines used to epilepsy at epilepsy me medicines used to at HIV and Hepatitis C us infections (so-called trace inhibitors and t-nucleoside reverse tractions inhibitors) medicine) certain antibiotics certain sedatives (called barbiturates) St. John's Wort (a herbal remedy). f you do need to take one of these medicines, Microgynon 30 may not be suitable for you or you may need to use extra contraception for a while. Your loctor, pharmacist or dentist can tell you if this is necessary and for how iono.

٢

stratifi, prind

٢

Microgynon® 30

Bayer

11,11,0117 1,0441 PM

٢